15 November 1999

STATEMENT OF WORK (SOW) for the RESTORATION, OVERHAUL, and REPAIR (ROR) of the EQUIPMENT TRANSPORT SHELTER S-675/TPS-59 NSN 5411-01-216-4217

SOW-00-844-2-8B548B-1/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to perform ROR on the Equipment Transport Shelter S-675/TPS-59, NSN 5411-01-216-4217, part number 7345173G2, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signees:

LAWRENCE E HERNDON

Weapon Systems Manager Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

LACK TORRENCE

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARIDE JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

TABLE of CONTENTS

SECTION	PARAGRAPH	PAGE
1.0	Scope	1
2.0	Applicable Documents	2
2.1	Military Specifications	2
2.2	Military Standards	2
2.3	Other Government Documents and Publications	2
2.4	Industry Standards	3
3.0	Requirements	3
3.1	General Requirements	3
3.2	Specific Requirements	4
3.3	Packaging, Handling, Storage, and Transportation (PHS&T)	5
3.4	Configuration Management	5
3.5	Government Furnished Equipment (GFE)/Government Furnished	
	Materiel (GFM)	5
3.6	Quality Assurance Provisions	5
4.0	Reports	6

STATEMENT OF WORK (SOW) for the RESTORATION, OVERHAUL, and REPAIR (ROR) of the EQUIPMENT TRANSPORT SHELTER S-675/TPS-59 NSN 5411-01-216-4217

1.0 Scope

This SOW establishes both general and specific requirements to be followed by the Contractor for the restoration, overhaul, and repair (ROR) of the AN/TPS-59(V)3 Equipment Transport Shelter S-675/TPS-59, NSN 5411-01-216- 4217, CAGE 03538, part number 7345173G2 (less the collateral equipment such as the Row Feed Test Set, other test equipment, ancillary cables, tools, and other miscellaneous items required to be maintained by the using unit for their daily operation and maintenance of the Radar Set).

Although this SOW and referenced documents provide extensive information relative to the ROR, the information and guidance provided is intended to establish only the minimum requirements essential to perform the ROR process to restore the Equipment Transport Shelter to Condition Code "A".

1.1 Definitions

Contractor: For the purposes of this SOW, Contractor is defined as a commercial or Government entity.

Condition Code "A": Serviceable and issuable without limitation or restriction.

Restoration: The process of upgrading an item to conform to the applicable technical specifications to assure compliance with specified operational capabilities, physical appearance, and configuration. It includes the repair or replacement of parts/components that have failed or are of marginal quality or reliability due to wear, deteriorition, or damage and includes cosmetic reconditioning. Restoration shall include all applicable alignments and calibrations and verification that approved Engineering Change Proposals (ECPs) or modifications have been installed properly and are functional. In the event that non-approved configuration items are discovered, the equipment shall be converted/modified/returned to its current approved configuration.

Overhaul: The process of totally restoring an item to a standard which approximates the original or new condition in appearance, performance, and life expectancy. For the purposes of this SOW, all approved ECPs and modifications shall be installed/verified as part of the overhaul work effort.

Repair: The process of returning an unserviceable item to full operational status by repair/replacement of its component parts and performing any alignments and calibrations as necessary. Cosmetic/structural repairs are not included in the repair process unless those repairs impede the operational functionality of the item.

Marginal quality: Deteriorated or damaged parts which are reasonably anticipated to fail thereby significantly reducing the expected reliability of an assembly or equipment. An expanded definition and associated requirements for replacement of parts and components adjudged to be of marginal quality is contained in MIL-STD-2110 (EC). Specific requirements of this SOW along with the general requirements as contained in MIL-STD-2110 (EC) shall be used to identify and necessitate the replacement of marginal quality items.

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and Supplement(s) thereto in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superceeding requirement.

2.1 Military Specifications

MIL-A-8625	Anodic Coatings for Aluminum and Aluminum Alloys
MIL-C-5541	Chemical Conversion Coatings on Aluminum and
	Aluminum Alloys
MIL-I-631	Insulation, Electrical, Synthetic Resin Composition,
	Non-rigid
MIL-DTL-15024	Plates, Tags and Bands for Identification Equipment
MIL-DTL-55507	Shelter, Electrical Equipment (With or without Equipment),
	Packaging of

2.2 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2110(EC)	Restoration, Overhaul, and Repair of Electronic Equipment

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.3 Other Government Documents and Publications

7345173G2 Assembly Drawing, Equipment Transport Shelter

SL3-07751B	Components List, Radar Set AN/TPS-59(V)3
TM 4750-15/1	Painting and Registration Marking of Marine Corps
	Combat and Tactical Equipment
TM 4750-15/2-8	Painting and Registration Marking of Marine Corps
	Combat and Tactical Equipment (contains patterns)
TM-07751B-14/19	Equipment Transport Shelter

2.4 Industry Standards

ANSI/ISO/ASQC	Quality Systems-Model for Quality Assurance in
Q9002-1994	Production, Installation, and Servicing
SAE AMS-M-3171	Magnesium Alloy, Processes for Pretreatment and
	Prevention of Corrosion On

{Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Defense Automated Printing Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, telephone (215) 697-2179, DSN 442-2179, or http:\\dodssp.daps.mil. Copies of other government publications required by the Contractor in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, Albany, GA 31704-1128, telephone (912) 439-6761, DSN 567-6761. Copies of engineering drawings may be obtained from the Life Cycle Management Center, Attn: (Code 825-3), 814 Radford Boulevard Suite 20320, Albany, GA 31704-0320, telephone (912) 439-6410 or DSN 567-6410.}

3.0 Requirements

3.1 General Requirements:

This document covers the general requirements for ROR of the basic shelter, rack assemblies, electrical waterfall, wiring/electrical equipment, skid assemblies, and structural/cosmetic repairs. It establishes uniform standards and procedures as applicable to the entire ROR process (to include receipt/initial evaluation of shelter condition, maintenance procedures, selection and use of parts/materiels, identification/marking of equipment, and preservation/packing for shipment).

The Contractor shall provide all parts, materiels, labor, facilities, tools, and test equipment necessary to ROR the Equipment Transport Shelter in accordance with the references and this SOW.

Additional guidance may be provided by the WSM, {Commander, Attn; (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31704-0343, commercial telephone (912) 439-6553, DSN 567-6553, FAX (912) 439-5498}, as well as other approved commercial/industry practices and standards.

3.2 Specific Requirements

3.2.1 Receipt and Pre-induction: The Contractor shall perform a Limited Technical Inspection upon receipt wherein transportation related damages, shortages, long lead-time materiel requirements, and the overall condition are identified. Transportation related damages shall be reported immediately to the Commanding Officer, Marine Corps Logistics Base, Attn: Transportation Management Officer (PPTY, Bldg 30), Barstow, California 92311-5014, (760) 577-6994, and WSM within five calendar days. The WSM shall be informed of any equipment shortages in order to coordinate with the originating unit for resolution. Identification of required long lead-time materiels and the overall condition are intended to assist ROR management in the reduction of overall ROR processing time.

3.2.2 Induction for ROR

ROR of the Equipment Transport Shelter shall consist of the following mandatory tasks:

- a. All corrosion shall be removed and the affected surfaces treated as necessary in accordance with MIL-A-8625, MIL-C-5541, and SAE AMS-M-3171, as applicable.
 - b. All three skids shall be replaced with new skids.
 - c. Cabinets shall be repaired and repainted as required.
 - d. Interior/exterior hardware shall be repaired/replaced as required.
- e. All interior/exterior walls, floor, and ceiling/roof panels shall be repaired/replaced, as required.
- f. All electrical wiring and associated equipment shall be repaired and checked to ensure proper operation in accordance with MIL-I-631, as applicable.
- g. The interior walls and ceiling shall be cleaned, sanded, primed, and painted "sea foam" green per drawing 7345173G2.
- h. The outer roof shall be painted with a non-skid coating prior to being primed and painted.
 - i. The floor panel shall have new non-skid, electrical grade rubber matting installed.
- j. The exterior of the shelter shall be camouflage painted with a chemical agent resistant coating (CARC) in the standard (green) colors and pattern in accordance with TM-4750-15/1 and TM-4750-15/2-8, unless otherwise directed by the WSM.

k. All stencils shall be repainted and data plates replaced in accordance with MIL-DTL-15024.

3.3 Packaging, Handling, Storage and Transportation (PHS&T)

The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Upon successful completion of ROR, the equipment within the shelter shall be packed in accordance with TM-07751B-14/19. The shelter shall then be preserved and packaged in accordance with the level "B" requirements of MIL-DTL-55507. No long term storage requirements exist for the shelter.

Marking shall be in accordance with MIL-STD-129.

The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor."

3.4 Configuration Management

The contractor shall apply configuration control to established configuration items. Deviations from the established baseline configuration will not be allowed without the written approval of the WSM. Recommendations for permanent changes to the form, fit or function of the baseline shall be submitted via an ECP. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the baseline, the contractor shall prepare and submit a Request For Deviation or Request For Waiver (as applicable) using MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) as a guide.

3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

The Management Control Activity (MCA/Code 820) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The MCA, in conjunction with the WSM, reserves the right to deny any requests for GFE/GFM. Under no circumstances shall denial of such requests form a basis for either work stoppages or delays in delivery.

3.6 Quality Assurance Provisions

The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing.

4.0 Reports

- 4.1 The Contractor shall provide a copy (either hard copy or electronic submittal is acceptable) of the Pre-Induction LTI to the WSM within 15 calendar days after completion of the inspection. The LTI (Contractor format) shall consist of an extract of SL3-07751B (as applicable to Supply System Responsibility items of the Equipment Transport Shelter). Electronic address is: "MbMatcom844-2@matcom.usmc.mil". Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Blvd Ste 20343, Albany, GA 31704-0343. Facsimiles may be sent to commercial (912) 439-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.
- 4.2 The Contractor shall provide a hard copy (with the signature of the unit's Commanding Officer or his designated representative) of the Joint Acceptance LTI to the WSM within 15 calendar days after completion of the inspection. The Joint Acceptance LTI shall be similar to the Pre-Induction LTI, with additional provisions for the signature and identifying information of the unit's authorized acceptance representative. Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Blvd Ste 20343, Albany, GA 31704-0343. The unit will retain a copy of the Joint Acceptance LTI (with original signatures) in its files for the Radar Set. Electronic copies of this report are not acceptable.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:							
			TOPTN		OTHER						
D. SYSTEM/ITEM S-675/TPS-59(V)3 Equip Xprt Shltr			E. CONTRACT/PR NO. F. CONTRA		ACTOR						
1. DATA ITEM NO. 2. TITLE OF DATA ITEM					3. SUBTITLE						
I. DATA II CIM 100.	2. IIILE OF DATA IICM										
A001	Eng	gineering	Change Prop	osal		Configuration Management					
4. AUTHORITY (Data Acquisit			5. CONTRACT REFEREN			6. REQUIRING OFFICE					
DI-C	CMAN-80639B			SOW 3.4		MCLBA (825)					
	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION					
LT		L	SREQ	See Block	16			b. COPIES			
8. APP CODE		11. AS OF DAT	AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION			a. ADDRESSEE	Draft Fi		inal		
	A						D.a.k	Reg	Repro		
16. REMARKS						MCLBA (825-2)	0	1	0		
Blk 4 - Contrac	ctor format is auth	iorized.									
Blks 10 & 12 - permanently af Appendix D ma	ECPs shall be su fect the baseline (ay be used as a gu	bmitted for a confinite of a confinite.	for all propose guration item.	d changes which MIL-STD-973,			+				
	eviewed and dispo Government.					ne (1. stra) (m. 1. stra) (m. 1					
ECPs shall be t mbmatcomconf	transmitted via E- figmngmnt@matc	Mail to to om.usmo	he following a :.mil	iddress:							
Distribution Sta	atement A: Appr	oved for	public release	, distribution is u	nlimited						
							-				
							+				
							\bot				
							1				
							+-				
						-	+		\vdash		
							+				
							+ +				
							1				
							\dagger		$\vdash \vdash \vdash$		
						Y					
				yn = 1 = -		15. TOTAL	0		0		
G. PREPARED BY			H. DATE	1. APPROVED I	BY	· / ·	J. DATI	E			
<u>(</u>	· · · · · · · · · · · · · · · · · · ·	/:	1	NW N	Wile	M	991	115	<u>.</u>		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215-14ferson Devis Highway, Suite 1204, Affington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently veild OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:						OTHER X				
D AVATTABLE				TDP TM	DTHER					1
D. SYSTEM/ITEM S-675/TPS-59(V)3 Equip Xpi				F. CONTRA	F. CONTRACTOR					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROU
A002		Request For Deviation				Configuration Man	nageme	ent		<u> </u>
4. AUTHORITY (Data Acquis	ition Document No./	request	5. CONTRACT REFEREN			6. REQUIRING OFFICE				10. ESTIMATED
·	CMAN-80640B		SOW 3.4		MCLBA	A (825))		TOTAL PRICE	
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION	_			
LT	REGUNES		ASREQ	SEE BLK	16			b. COPIES		, <u> </u>
8. APP CODE	A .	11. AS OF DA	TE	13. DATE OF SUBSEQUENT a. ADDRESSEE SUBMISSION		a. ADDRESSEE Final				
16 DEMARKS	A					1 (OA 5 A)		Reg	Repro	i
Blk 4 - Contrac	ctor format is autl	horized.				MCLBA (825-2)	0	1	0	
Blks 10 & 12 - nonconforming documentation	RFDs shall be su material which o	ibmitted loes not i	to obtain authomeet prescribe	orization to delive d configuration	er		_			
	eviewed and disp Government.				iys upon					
RFDs shall be mbmatcomcon	transmitted via E figmngmnt@mate	-Mail to com.usmo	the following a c.mil	address:			ļ			
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited					
								:		
										} ·
							-			
) :
							ļ		ļ	
							-			
							 		<u> </u>	
							_		ļ .	
							1			
						15. TOTAL	0	1	0	
G. PREPARED BY		•	H. DATE	I. APPROVED E	m R	2 Ains	J. DAT	111.5	-	
L <u> </u>	<u> </u>			V VV	11, 10			\ 1 1 . 		j

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Defferson Devis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E

A. CONTRACT LINE	ITEM NO.	B. EXHIBI	T	C. CATEGORY:		<u> </u>		_		
D CVCTCHUTCAS			E. CONTRACT/PE	TDPTM			_			
D. SYSTEM/ITEM S-675/TPS-:	59(V)3 Equip Xpr	rt Shltr	E. CUNIKACI/PE	ł NU.	F. CONTRA	CTUR				
1. DAYA ITEM NO.					3. SUBTITLE			_		17. PRICE GROU
A003		Reques	st For Waiver		Configuration Man	1				
4. AUTHORITY (Data Acquis		•	5. CONTRACT REFERE	NCE	1	6. REQUIRING OFFICE				18. ESTIMATED TOTAL PRIC
	CMAN-80641B			SOW 3.4		MCLBA	A (825))		10 TAL PHIC
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION	1			
8. APP CODE		11. AS OF DA	ASREQ	SEE BLK 13. DATE OF SUBSEQUENT	10			b. COPIES		
a. AFF CODE	A	II. AS UF DA	***	SUBMISSION		a. ADDRESSEE	Draft	Final		
16, REMARKS	1					MCLBA (825-2)	1 0	Reg 1	Repro O	
	ctor format is aut	horized.				WCLBA (623-2)	0	1_	0	
			l to obtain aut meet prescrib	horization to delived configuration	er					
				ithin 30 calendar d						
	e transmitted via E ifigmngmnt@mate									
Distribution S	tatement A: Appr	roved for	public releas	e, distribution is u	ınlimited					
										;
							ļ. <u>-</u>			
						,				
						N M.A. : "White Audi V Priva Pri				
								_		
										1
							+			
						15. TOTAL	0		0	1
G. PREPARED BY		•,	H. DATE	I. APPROVED I	My (Sim	J. DAT	E 111.5		